



Manufacturer's Information

Test No. 18-5870: DNA - Parentage

Each sample set was a collection of known blood samples, provided on FTA Micro cards, from three individuals (Items 1-3); a mother, a son, and a potential father. Participants were requested to analyze these items using their existing protocols. Also included in the data sheet was a kinship exercise that consisted of autosomal DNA profiles of two individuals for comparison. Participants were requested to determine if a full sibling relationship claim was supported following the review of these profiles.

SAMPLE PREPARATION: All stains were prepared from human whole blood which was drawn into EDTA tubes. Item 1 (75 μ l) was blood from a female (mother) donor, Item 2 (75 μ l) was blood from a male (son) donor, and Item 3 (75 μ l) was blood from a male donor who was the biological father of the Item 2 male. The different items were prepared at separate times and were packaged once they were thoroughly dried. Completed sample sets were stored at -20°C until shipment on February 20, 2018.

SAMPLE SET ASSEMBLY: For each sample set, all three Items (1-3) in their separate envelopes were placed in a pre-labeled sample pack envelope and sealed. The sample pack envelopes were then packaged in pre-labeled Heat Seal envelopes and sealed. This process was repeated until all of the sample sets were prepared.

KINSHIP EXERCISE: This exercise included allelic results representing a full sibling relationship.

VERIFICATION: Laboratories that conducted predistribution analysis of the samples reported consistent results and associations.

Manufacturer's Information, continued
Test No. 18-5870: DNA - Parentage

Amelogenin and STR Results						
<i>Results compiled from predistribution laboratories and a consensus of at least 10 participants.</i>						
Item	D1S1656	D2S1338	D2S441	D3S1358	D5S818	D6S1043
	D7S820	D8S1179	D10S1248	D12S391	D13S317	D16S539
	D18S51	D19S433	D21S11	D22S1045	Amelogenin	CSF1PO
	FGA	Penta D	Penta E	SE33	TH01	TPOX
	vWA	DYS391	DYS570	DYS576	Y Indel	
1	14,15	17,18	11,14	15,16	10,12	*
	8,10	11,14	14,15	21,21	11,13	9,12
	12,15	14,14	29,30	11,16	X,X	10,11
	21,26	12,13	13,13	17,28.2	6,9.3	11,11
	18,19	N/A	N/A	N/A	N/A	
2	15,17.3	18,24	11,14	16,18	12,12	*
	10,10	11,13	13,14	18,21	11,11	9,12
	15,15	14,15	30,30	11,16	X,Y	10,12
	21,21	9,12	7,13	17,17	6,9.3	8,11
	16,19	10	*	*	*	
3	16,17.3	22,24	11,11	17,18	11,12	*
	10,10	13,14	13,13	18,22	10,11	11,12
	12,15	13,15	28,30	15,16	X,Y	12,12
	19,21	9,9	7,12	16,17	9,9.3	8,8
	16,16	10	*	*	*	

YSTR Results									
<i>Results compiled from predistribution laboratories and a consensus of at least 10 participants.</i>									
Item	DYF387S1	DYS19	DYS385	DYS389-I	DYS389-II	DYS390	DYS391	DYS392	DYS393
	DYS437	DYS438	DYS439	DYS448	DYS449	DYS456	DYS458	DYS460	DYS481
	DYS518	DYS533	DYS549	DYS570	DYS576	DYS627	DYS635	DYS643	YGATAH4
2	*	15	15,16	14	30	23	10	12	14
	14	10	11	20	*	15	15	*	27
	*	11	*	19	17	*	21	*	10
3	*	15	15,16	14	30	23	10	12	14
	14	10	11	20	*	15	15	*	27
	*	11	*	19	17	*	21	*	10

Paternity Indices						
<i>Median Paternity Index results compiled from predistribution laboratories and a consensus of at least 10 participants.</i>						
Database	D1S1656	D2S1338	D2S441	D3S1358	D5S818	D6S1043
	D7S820	D8S1179	D10S1248	D12S391	D13S317	D16S539
	D18S51	D19S433	D21S11	D22S1045	Amelogenin	CSF1PO
	FGA	Penta D	Penta E	SE33	TH01	TPOX
	vWA	DYS391	DYS570	DYS576	Y Indel	
3 NIST STRBASE	3.7594	4.3478	1.7108	3.3112	1.2893	*
	3.9032	1.517	3.252	2.912	1.5361	1.1876
	2.9342	3.1948	1.7699	0.95749	N/A	2.777
	2.798	4.5126	2.9586	*	0.8614	1.9051
	4.98	N/A	N/A	N/A	N/A	

* Results were not received from a minimum of 10 participants for the loci indicated.

The information presented here is that received from the sample manufacturer. It presents details of the design specification for the test samples and/or details of how they were prepared. This information does not necessarily represent the answers that should or could be obtained from an examination of the sample. Final interpretation of the results should be deferred until the summary report is available.