



Manufacturer's Information

Test No. 17-5801: DNA Mixture

Each sample pack consisted of two known bloodstains on clean, white muslin fabric (Items 1 & 2), and two questioned stains; one on clean, pink material (Item 3) and one on clean, dark gray material (Item 4). Participants were requested to analyze these items using their existing protocols.

SAMPLE PREPARATION: The stains in Items 1 and 2 were prepared from human whole blood which was either drawn into citric acid preservative blood bags or EDTA tubes. The stains in Items 3 and 4 were mixtures prepared from human whole blood and semen. The semen samples were received frozen from an outside supplier. Each semen sample was first thawed and mixed 1:1 with TAE buffer, then mixed 1:1 with the blood. Item 1 (50 μ l) was prepared using blood collected from a female donor. Item 2 (50 μ l) was prepared using blood collected from a male donor. Item 3 (50 μ l) was a mixture of blood from the Item 1 female donor and semen from a third party male donor whose known blood standard was not provided. Item 4 (50 μ l) was a mixture of blood from the Item 1 female donor and semen from the Item 2 male donor. Stains from different sources were prepared at separate times and were packaged once they were thoroughly dried. Completed sample sets were stored at -20°C until shipment on January 03, 2017 following receipt of predistribution results.

SAMPLE SET ASSEMBLY: For each sample set, all four Items (1-4) were placed in a pre-labeled sample pack envelope. The sealed sample pack envelopes were then packaged in pre-labeled heat seal envelopes and sealed. This process was repeated until all of the sample sets were prepared.

VERIFICATION: All predistribution laboratories confirmed the manufacturer's expected associations. Consistent allelic results were reported for all STR and YSTR loci with the exception of one inconsistency at the FGA locus in the epithelial fraction of Item 3. No changes were made to the test based on this inconsistency prior to distribution.

Manufacturer's Information, continued
Test No. 17-5801: DNA Mixture

Amelogenin and STR Results						
<i>Results compiled from predistribution laboratories and a consensus of at least 10 participants.</i>						
Item	D1S1656	D2S1338	D2S441	D3S1358	D4S2408	D5S818
	D6S1043	D7S820	D8S1179	D9S1122	D10S1248	D12S391
	D13S317	D16S539	D17S1301	D18S51	D19S433	D20S482
	D21S11	D22S1045	Amelogenin	CSF1PO	FGA	Penta D
	Penta E	SE33	TH01	TPOX	vWA	
1	15,15.3	17,22	13,14	15,17	*	10,12
	*	9,10	14,15	*	13,15	17.3,22
	11,13	8,13	*	14,14	16,16	*
	29,30	14,15	X,X	10,12	20,22	13,13
	10,10	28.2,29.2	6,9	8,8	16,18	
2	14,17.3	19,20	11.3,14	14,16	*	9,12
	*	10,11	10,14	*	14,15	19,22
	10,11	12,12	*	13,19	12,15	*
	30,33.2	16,16	X,Y	11,11	20,24	13,13
	7,14	18,22.2	7,9.3	8,11	15,18	
3-Blood	15,15.3	17,22	13,14	15,17	*	10,12
	*	9,10	14,15	*	13,15	17.3,22
	11,13	8,13	*	14,14	16,16	*
	29,30	14,15	X,X	10,12	20,22	13,13
	10,10	28.2,29.2	6,9	8,8	16,18	
3-Semen	15,15	21,25	11,15	15,18	*	10,12
	*	9,10	13,15	*	13,14	17,20
	12,14	11,11	*	11,14	14,15	*
	29,30	11,16	X,Y	10,13	21,21	8,9
	7,18	14,16	7,9.3	8,11	15,16	
4-Blood	15,15.3	17,22	13,14	15,17	*	10,12
	*	9,10	14,15	*	13,15	17.3,22
	11,13	8,13	*	14,14	16,16	*
	29,30	14,15	X,X	10,12	20,22	13,13
	10,10	28.2,29.2	6,9	8,8	16,18	
4-Semen	14,17.3	19,20	11.3,14	14,16	*	9,12
	*	10,11	10,14	*	14,15	19,22
	10,11	12,12	*	13,19	12,15	*
	30,33.2	16,16	X,Y	11,11	20,24	13,13
	7,14	18,22.2	7,9.3	8,11	15,18	

* Results were not received by a minimum of 10 participants for the STR loci indicated.

The information presented here is that received from the sample manufacturer. It presents details of the design specification for the test samples and/or details of how they were prepared. This information does not necessarily represent the answers that should or could be obtained from an examination of the sample. Final interpretation of the results should be deferred until the summary report is available.

Manufacturer's Information, continued
Test No. 17-5801: DNA Mixture

YSTR Results											
<i>Results compiled from predistribution laboratories and a consensus of at least 10 participants.</i>											
Item	DYF387S1	DYS19	DYS385	DYS389-I	DYS389-II	DYS390	DYS391	DYS392	DYS393	DYS437	
	DYS438	DYS439	DYS448	DYS449	DYS456	DYS458	DYS460	DYS481	DYS505	DYS518	
	DYS522	DYS533	DYS549	DYS570	DYS576	DYS612	DYS627	DYS635	DYS643	YGATAH4	Y Indel
2	35,35	14	11,14	13	31	25	11	13	13	14	
	12	12	19	27	16	15	11	23	*	36	
	*	12	12	17,18	16	*	23	23	10	12	2
3-Semen	35,36	14	11,15	14	30	25	11	13	13	14	
	12	13	18	32	16	17	12	22	*	39	
	*	12	12	18	19	*	21	23	10	11	2
4-Semen	35,35	14	11,14	13	31	25	11	13	13	14	
	12	12	19	27	16	15	11	23	*	36	
	*	12	12	17,18	16	*	23	23	10	12	2

* Results were not received by a minimum of 10 participants for the YSTR loci indicated.